

Standard Information

Standard Number: NSF 20-2012

Standard Name: Commercial Bulk Milk Dispensing Equipment

Standard Edition and Issue Date: NSF 20-2012, Dated May 11, 2012

Date of Revisions: May 11, 2012

Date of Previous Revisions to Standard: NSF 20-2007, Dated May 29, 2007

Effective Date of New/Revised Requirements

Effective Date (see Schedule below): **March 1, 2016**

Impact, Overview and Action Required

Impact Statement: A review of all Listing Reports is necessary to determine which products comply with new/revised requirements and which products will require re-evaluation. **NOTE:** Effective immediately, this revised standard will be exclusively used for evaluation of new products unless the Applicant requests in writing that current requirements be used along with their understanding that their listings will be withdrawn on Effective Date noted above, unless the product is found to comply with new/revised requirements.

Overview of Changes: This NSF standard has recently undergone updates and those technical changes affecting existing certifications are attached. New product submittals will be required to be evaluated and certified to these new/revised requirements (unless the Applicant requests in writing to use old requirements up to the Effective Date). Existing certification reports will need to be reviewed to confirm compliance with these new/revised requirements by the March 1, 2016 Effective Date. The new/revised requirements affect access for cleaning for counter-mounted equipment and a requirement to have removable thermometers. The new/revised requirements affect cleaning and sanitizing procedures. Specific details of new/revised requirements are found in table below.

Client Action Required:

Information – To assist our Engineer with review of your Listing Reports, please submit technical information in response to the new/revised paragraphs noted in the attached or explain why these new/revised requirements do not apply to your product (s).

Current Listings Not Active? – *Please immediately identify any current Listing Reports or products that are no longer active and should be removed from our records. We will do this at no charge as long as Intertek is notified in writing prior to the review of your reports.*



Standards Update Notice (SUN)

Issued: March 1, 2015

Description of New/Revised Technical Requirements

Clause	Verdict	Comment	NC#
5.18.2		(Revision is underlined) Counter-mounted equipment shall be designed and manufactured to be: – portable; or – sealed to the counter; or – elevated on legs that provide a minimum unobstructed clearance beneath the unit of 4.0 in (100mm); or – elevated on legs that provide a minimum unobstructed clearance beneath the unit of 3.0 in (76mm) provided that no part of the counter top under the footprint of the equipment is more than 16 in (41 cm) from the point of cleaning access; or – elevated on legs that provide a minimum unobstructed clearance beneath the unit of 2.0 in (50mm) provided that no part of the counter top	
5.28.3		(New) Temperature indicating devices shall be removable.	
		CUSTOMERS PLEASE NOTE: This Table and column “Verdict” can be used in determining how your current or future production is or will be in compliance with new/revised requirements.	